


# Quick Disconnect Couplers

## Global Part Numbering System

Gates Quick Disconnect couplers feature a meaningful part number that makes coupling identification fast and easy. Always refer to Gates Cross Reference Charts when selecting a quick disconnect coupler for a competitive interchange.

# G94021-0808D



### Body Style Identification

- 0 Assembly
- 1 Male Tip (Nipple)
- 2 Female Coupler
- 3 Repair Kit
- 5 O-Ring
- 6 Backup Ring
- 8 Dust Plug
- 9 Dust Cap

### Thread Style

- 0 Not Applicable
- 1 Female Pipe
- 2 Female O-Ring Boss
- 3 Bulkhead Mounts
- 4 Female British Parallel Pipe

### Miscellaneous

- D Double-Acting Sleeve
- P Connect-Under-Pressure

## Coupling Series Identification

### G940 Series - Agricultural Standard — Ball Valve

- MQBA Male Quick Ball Agricultural
- FQBA Female Quick Ball Agricultural
- FQBADA Female Quick Ball Agricultural (Double Acting Sleeve)

### G941 Series - Agricultural Standard — Poppet Valve

- MQPA Male Quick Poppet Agricultural
- FQPA Female Quick Poppet Agricultural

### G942 Series - John Deere Old Style

- MQBAJD Male Quick Ball Agricultural John Deere
- FQBAJD Female Quick Ball Agricultural John Deere

### G943 Series - International Harvester Old Style

- MQBAIHC Male Quick Ball Agricultural International Harvester

### G944 Series - J.I. Case Old Style

- MQBAJIC Male Quick Ball Agricultural J.I. Case

### G945 Series - Industrial ISO 7241-1 — Series B

- MQPI Male Quick Poppet Industrial
- FQPI Female Quick Poppet Industrial

### G949 Series - Flush Face, HTMA

- MQFF Male Quick Flush Face
- CPMQFF Male Quick Flush Face (Connect-Under-Pressure)
- FQFF Female Quick Flush Face
- CPFQFF Female Quick Flush Face (Connect-Under-Pressure)

### G950 Series - High Pressure Flush Face

- MQFFH Male Quick Flush Face (High Pressure)
- FQFFH Female Quick Flush Face (High Pressure)

### G951 Series - Wing Nut

- MQW Male Quick Wing
- FQW Female Quick Wing

### G952 Series - High Pressure Wing Nut

- MQWH Male Quick Wing (High Pressure)
- FQWH Female Quick Wing (High Pressure)

### G953 Series - Very High Pressure Flush Face

- MQFFVH Male Quick Flush Face (Very High Pressure)
- FQFFVH Female Quick Flush Face (Very High Pressure)

### G956 Series - Industrial ISO 7241-1 — Series A

- MQP Male Quick Poppet
- FQP Female Quick Poppet

### G959 Series - Agricultural Adapters

- MJD John Deere Old Style
- MISO ISO Style
- MIHC International Harvester Style

### Miscellaneous

- DA Double Acting Sleeve
- ISO Industrial Standards Organization
- DP Dust Plug
- DC Dust Cap
- DSO Double Shut Off
- FP Female Pipe
- FB Female O-Ring Boss
- QDAOR G940 Series O-Ring for Female Coupler
- QDIBR G945 Series Backup Ring for Female Coupler
- QDIOR G945 Series O-Ring for Female Coupler
- QDOR G956 Series O-Ring for Female Coupler
- QDBR G956 Series Backup Ring for Female Coupler

EQUIPMENT
HOSE/CPLG. SELECTION
TECH. DATA
EXT. & VERY HIGH PRESS. HOSE
GS CPLGS.
PCM CPLGS.
PCS CPLGS.
HIGH & MED. PRESS. HOSE
MEGACRIMP® CPLGS.
PC CPLGS.
FIELD ATTACHABLE CPLGS.
AIR BRAKE HOSE & CPLGS.
MEGATECH™/C5 HOSE & CPLGS.
LOW PRESS. HOSE & CPLGS.
C14 HOSE & CPLGS.
POLARSEAL® HOSE & CPLGS.
PWR. STG. HOSE & CPLGS.
THERMO-PLASTIC HOSE & CPLGS.
ADAPTERS
QUICK DISCONNECT CPLGS.
ACCESSORIES & ASSORTMENTS
PART NUMBER INDEXES








## G940 Series (Agriculture Standard-Ball Valve)




### Ag Male Tip – Ball Valve to Female Pipe (FP) or Female O-Ring (FB) and Dust Cap



Descr	#					Descr	Cap #	
4MQBA-4FP	G94011-0404	7252-89315	1/4-18NPT	4,000	12,000	4QDADC	G94090-0004	7252-89565
6MQBA-6FP	G94011-0606	7252-89345	3/8-18NPT	3,000	9,000	6QDADC	G94090-0006	7252-89585
8MQBA-8FB	G94012-0808	7252-89335	3/4-16ORB	3,000	10,500	8QDADC	G94090-0008	7252-89575
8MQBA-8FP	G94011-0808	7252-89325	1/2-14NPT	3,000	10,500	8QDADC	G94090-0008	7252-89575
8MQBA-12FP	G94011-0812	7252-89305	3/4-14NPT	3,000	10,500	8QDADC	G94090-0008	7252-89575
12MQBA-12FP	G94011-1212	7252-89685	3/4-14NPT	4,000	11,000	NA	NA	NA

### Ag Female Coupler – Ball Valve to Female Pipe (FP) or Female O-Ring Boss (FB) and Dust Plug and O-Ring



Descr	#					Descr	PLUG #		Descr	O-RING #	
4FQBA-4FP	G94021-0404	7252-89415	1/4-18NPT	4,000	12,000	4QDADP	G94080-0004	7252-89465	4QDAOR	G94025-0004	7252-59415
6FQBADA-6FP	G94021-0606D	7252-89695	3/8-18NPT	3,000	9,000	6QDADP	G94080-0006	7252-89485	6QDAOR	G94025-0006	7252-59695
8FQBA-8FP	G94021-0808	7252-89425	1/2-14NPT	3,000	10,500	8QDADP	G94080-0008	7252-89475	8QDAOR	G94025-0008	7252-59425
8FQBA-8FB	G94022-0808	7252-89435	3/4-16ORB	3,000	10,500	8QDADP	G94080-0008	7252-89475	8QDAOR	G94025-0008	7252-59425
8FQBADA-8FP	G94021-0808D	7252-89445	1/2-14NPT	3,000	10,500	8QDADP	G94080-0008	7252-89475	8QDAOR	G94025-0008	7252-59425
8FQBADA-12FP	G94021-0812D	7252-89705	3/4-14NPT	3,000	10,500	8QDADP	G94080-0008	7252-89475	8QDAOR	G94025-0008	7252-59425
12FQBA-12FP	G94021-1212	7252-89715	3/4-14NPT	4,000	11,000	NA	NA	NA	12QDAOR	G94025-0012	7252-59715

EQUIPMENT
HOSE/CPLG. SELECTION
TECH. DATA
EXT. & VERY HIGH PRESS. HOSE
GS CPLGS.
PCM CPLGS.
PCS CPLGS.
HIGH & MED. PRESS. HOSE
MEGACRIMP® CPLGS.
PC CPLGS.
FIELD ATTACHABLE CPLGS.
AIR BRAKE HOSE & CPLGS.
MEGATECH™ C5 HOSE & CPLGS.
LOW PRESS. HOSE & CPLGS.
C14 HOSE & CPLGS.
POLARSEAL® HOSE & CPLGS.
PWR. STG. HOSE & CPLGS.
THERMO-PLASTIC HOSE & CPLGS.
ADAPTERS
QUICK DISCONNECT CPLGS.
ACCESSORIES & ASSORTMENTS
PART NUMBER INDEXES






# Quick Disconnect Couplers – G94 Series

## G941 Series (Agricultural Standard-Poppet Valve)




### Ag Male Tip – Poppet Valve to Female Pipe (FP) and Dust Cap



Descr	#					Descr	Cap #	
4MQPA-4FP	G94111-0404	7252-89725	1/4-18NPT	3,000	12,000	4QDADC	G94090-0004	7252-89565
6MQPA-6FP	G94111-0606	7252-89735	3/8-18NPT	3,000	12,000	6QDADC	G94090-0006	7252-89585
8MQPA-8FP	G94111-0808	7252-89365	1/2-14NPT	4,000	16,000	8QDADC	G94090-0008	7252-89575
16MQPA-16FP	G94111-1616	7252-89745	1-11/2NPT	3,000	12,000	NA	NA	NA

### Ag Female Coupler – Poppet Valve to Female Pipe (FP) and Dust Plug



Descr	#					Descr	Plug #	
4FQPA-4FP	G94121-0404	7252-89755	1/4-18NPT	3,000	12,000	4QDADP	G94080-0004	7252-89465
6FQPA-6FP	G94121-0606	7252-89765	3/8-18NPT	3,000	12,000	6QDADP	G94080-0006	7252-89485
8FQPA-8FP	G94121-0808	7252-89775	1/2-14NPT	4,000	16,000	8QDADP	G94080-0008	7252-89475
16FQPA-16FP	G94121-1616	7252-89785	1-11/2NPT	3,000	12,000	NA	NA	NA

FLEET

- EQUIPMENT
- HOSE/CPLG. SELECTION
- TECH. DATA
- EXT. & VERY HIGH PRESS. HOSE
- GS CPLGS.
- PCM CPLGS.
- PCS CPLGS.
- HIGH & MED. PRESS. HOSE
- MEGACRIMP® CPLGS.
- PC CPLGS.
- FIELD ATTACHABLE CPLGS.
- AIR BRAKE HOSE & CPLGS.
- MEGATECH® C5 HOSE & CPLGS.
- LOW PRESS. HOSE & CPLGS.
- C14 HOSE & CPLGS.
- POLARSEAL® HOSE & CPLGS.
- PWR. STG. HOSE & CPLGS.
- THERMO-PLASTIC HOSE & CPLGS.
- ADAPTERS
- QUICK DISCONNECT CPLGS.
- ACCESSORIES & ASSORTMENTS
- PART NUMBER INDEXES



# Quick Disconnect Couplers – G94 Series



## G942 Series (John Deere Old Style)

**Male Tip – Ball Valve to Female Pipe (FP)  
or Female O-Ring Boss (FB)**



Descr	#			
8MQBAJD-8FP	G94211-0808	7252-89355	1/2-14NPT	3,000
8MQBAJD-8FB	G94212-0808	7252-89375	3/4-16ORB	3,000

## Female Coupler – Ball Valve to Female Pipe (FP)



Descr	#			
8FQBAJD-8FP	G94221-0808	7252-89455	1/2-14NPT	3,000

## G943 Series (International Harvester Old Style)

**Male Tip – Ball Valve to Female Pipe (FP)**



Descr	#			
8MQBAIHC-8FP	G94311-0808	7252-89385	1/2-14NPT	2,500

EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. & VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH & MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE & CPLGS.

MEGATECH® C5 HOSE & CPLGS.

LOW PRESS. HOSE & CPLGS.

C14 HOSE & CPLGS.

POLARSEAL® HOSE & CPLGS.

PWR. STG. HOSE & CPLGS.

THERMO-PLASTIC HOSE & CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES & ASSORTMENTS

PART NUMBER INDEXES





# Quick Disconnect Couplers – G94 Series

## G944 Series (J.I. Case Old Style)

### Male Tip – Ball Valve to Female Pipe (FP)






Descr	#			
8MQBAJIC-8FP	G94411-0808	7252-89395	1/2-14NPT	3,000

## G945 Series (Industrial ISO 7241-1 – Series B)

### Male Tip – Poppet Valve to Female Pipe (FP) and Dust Cap



Descr	#					Descr	Cap/Plug #	
4MQPI-4FP	G94511-0404	7252-89015	1/4-18NPT	7,500	30,000	4QDIDC	G94590-0004	7252-89165
6MQPI-6FP	G94511-0606	7252-89025	3/8-18NPT	5,000	20,000	6QDIDC	G94590-0006	7252-89175
8MQPI-8FP	G94511-0808	7252-89035	1/2-14NPT	5,000	20,000	8QDIDC	G94590-0008	7252-89185
12MQPI-12FP	G94511-1212	7252-89045	3/4-14NPT	4,000	16,000	12QDIDC	G94590-0012	7252-89195
16MQPI-16FP	G94511-1616	7252-89055	1-11/4NPT	4,000	16,000	16QDIDC	G94590-0016	7252-89205




FLEET




## G945 Series (Industrial ISO 7241-1 – Series B) - Continued

### Female Coupler – Poppet Valve to Female Pipe (FP) and Dust Plug



Descr	#					Descr	Cap/Plug #	
4FQPI-4FP	G94521-0404	7252-89115	1/4-18NPT	7,500	30,000	4QDIDP	G94580-0004	7252-89065
6FQPI-6FP	G94521-0606	7252-89125	3/8-18NPT	5,000	20,000	6QDIDP	G94580-0006	7252-89075
8FQPI-8FP	G94521-0808	7252-89135	1/2-14NPT	5,000	20,000	8QDIDP	G94580-0008	7252-89085
12FQPI-12FP	G94521-1212	7252-89145	3/4-14NPT	4,000	16,000	12QDIDP	G94580-0012	7252-89095
16FQPI-16FP	G94521-1616	7252-89155	1-11/2NPT	4,000	16,000	16QDIDP	G94580-0016	7252-89105

### G945 Series O-Ring and Backup Ring for Female Couplers (90 Durometer Hardness)



Descr		#		Descr		#	
4FQPI-4FP	4QDIOR	G94525-0004	7252-59115	4QDIBR	G94526-0004	7252-49115	
6FQPI-6FP	6QDIOR	G94525-0006	7252-59125	6QDIBR	G94526-0006	7252-49125	
8FQPI-8FP	8QDIOR	G94525-0008	7252-59135	8QDIBR	G94526-0008	7252-49135	
12FQPI-12FP	12QDIOR	G94525-0012	7252-59145	12QDIBR	G94526-0012	7252-49145	
16FQPI-16FP	16QDIOR	G94525-0016	7252-59155	16QDIBR	G94526-0016	7252-49155	

\*Standard O-Ring number.

**(CAUTION:)** These O-Rings are compounded from a Nitrile polymer for use with petroleum-base hydraulic fluids, water and glycol and oil-water emulsions. DO NOT USE these O-Rings with phosphate esters, diesters or phosphate ester emulsion hydraulic fluids. Instead, use O-Rings made of Viton, EPDM or CPE polymers or other materials compatible with the fluids.

EQUIPMENT
HOSE/CPLG. SELECTION
TECH. DATA
EXT. & VERY HIGH PRESS. HOSE
GS CPLGS.
PCM CPLGS.
PCS CPLGS.
HIGH & MED. PRESS. HOSE
MEGACRIMP® CPLGS.
PC CPLGS.
FIELD ATTACHABLE CPLGS.
AIR BRAKE HOSE & CPLGS.
MEGATECH® C5 HOSE & CPLGS.
LOW PRESS. HOSE & CPLGS.
C14 HOSE & CPLGS.
POLARSEAL® HOSE & CPLGS.
PWR. STG. HOSE & CPLGS.
THERMO-PLASTIC HOSE & CPLGS.
ADAPTERS
QUICK DISCONNECT CPLGS.
ACCESSORIES & ASSORTMENTS
PART NUMBER INDEXES



# Quick Disconnect Couplers – G94 Series

## G949 Series (Flush Face, HTMA)

### Male Tip – Flush Face Valve to Female Pipe (FP) or Female O-Ring Boss (FB) and Dust Cap




Descr	#					Descr	Cap/Plug #	
4MQFF-4FP	G94911-0404	7252-87015	1/4-18NPT	3,000	12,000	4QDFFDP/C	G94981-0004	7252-87535
4MQFF-4FB	G94912-0404	7252-87055	1/4-18NPT	3,000	12,000	4QDFFDP/C	G94981-0004	7252-87535
6MQFF-6FP	G94911-0606	7252-88005	3/8-18NPT	3,000	12,000	6QDFFDP/C	G94981-0006	7252-87545
6MQFF-6FB	G94912-0608	7252-88025	3/4-16ORB	3,000	12,000	6QDFFDP/C	G94981-0006	7252-87545
6MQFF-8FP	G94911-0608	7252-88015	1/2-14NPT	3,000	12,000	6QDFFDP/C	G94981-0006	7252-87545
8MQFF-8FP	G94911-0808	7252-87025	1/2-14NPT	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
8CPMQFF-8FP*	G94911-0808P	7252-87435	1/2-14NPT	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
8MQFF-8FB	G94912-0808	7252-87065	3/4-16ORB	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
8CPMQFF-8FB*	G94912-0808P	7252-87445	3/4-16ORB	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
8CPMQFF-10FB*	G94912-0810P	7252-87455	7/8-14ORB	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
8MQFF-12FB	G94912-0812	7252-87075	1-1/16-12ORB	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
8CPMQFF-12FB*	G94912-0812P	7252-87465	1-1/16-12ORB	3,000	12,000	8QDFFDP/C	G94981-0008	7252-87555
10MQFF-12FB	G94912-1012	7252-87085	1-1/16-12ORB	3,000	12,000	10QDFFDP/C	G94981-0010	7252-87565
12MQFF-12FP	G94911-1212	7252-87035	3/4-14NPT	3,000	12,000	12QDFFDP/C	G94981-0012	7252-87575
12MQFF-12FB	G94912-1212	7252-87095	1-1/16-12ORB	3,000	12,000	12QDFFDP/C	G94981-0012	7252-87575
16MQFF-16FP	G94911-1616	7252-87045	1-11/16NPT	3,000	12,000	16QDFFDP/C	G94981-0016	7252-87585
16MQFF-16FB	G94912-1616	7252-87105	1-5/16-12ORB	3,000	12,000	16QDFFDP/C	G94981-0016	7252-87585

\* Connect-under-pressure coupler

### Male Tip – Flush Face Valve to JIC 37° Flare Bulkhead and Dust Cap



Descr	#					Descr	Cap #	
8MQFF-10BKHD	G94913-0810	7252-87395	7/8-14	3,625	14,500	8QDFFDP/C	G94981-0008	7252-87555
10MQFF-12BKHD	G94913-1012	7252-87405	1-1/16-12	3,625	14,500	10QDFFDP/C	G94981-0010	7252-87565



## G949 Series (Flush Face, HTMA) - Continued

### Male Tip – Flush Face Valve to Female British Pipe Parallel (FBPP) and Dust Cap



Descr	#					Descr	Cap/Plug #	
4MQFF-4FBPP	G94915-0404	7252-87115	1/4-19	4,568	18,270	4QDFFDC	G94990-0004	7252-87345
8MQFF-8FBPP	G94915-0808	7252-87125	1/2-14	3,625	14,500	8QDFFDC	G94990-0008	7252-87355
12MQFF-12FBPP	G94915-1212	7252-87135	3/4-14	3,625	14,500	12QDFFDC	G94990-0012	7252-87375
16MQFF-16FBPP	G94915-1616	7252-87145	1-11	2,900	11,600	16QDFFDC	G94991-0016	7252-87385

### Female Coupler – Flush Face Valve to Female Pipe (FP) or Female O-Ring Boss (FB) and Dust Plug



Descr	#					Descr	Plug #	
4FQFF-4FP	G94921-0404	7252-87155	1/4-18NPT	3,000	12,000	4QDFFDP	G94980-0004	7252-87295
4FQFF-4FB	G94922-0404	7252-87195	1/4-18NPT	3,000	12,000	4QDFFDP	G94980-0004	7252-87295
6FQFF-6FP	G94921-0606	7252-88035	3/8-18NPT	3,000	12,000	6QDFFDP	G94980-0006	7252-88065
6FQFF-8FP	G94921-0608	7252-88045	1/2-14NPT	3,000	12,000	6QDFFDP	G94980-0006	7252-88065
6FQFF-8FB	G94922-0608	7252-88055	3/4-16ORB	3,000	12,000	6QDFFDP	G94980-0006	7252-88065
6FQFF-8FP	G94921-0608	7252-88045	1/2-14NPT	3,000	12,000	6QDFFDP	G94980-0006	7252-88065
8FQFF-8FP	G94921-0808	7252-87165	1/2-14NPT	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
8CPFQFF-8FP*	G94921-0808P	7252-87475	1/2-14NPT	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
8FQFF-8FB	G94922-0808	7252-87205	3/4-16ORB	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
8CPFQFF-8FB*	G94922-0808P	7252-87485	3/4-16ORB	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
8CPFQFF-10FB*	G94922-0810P	7252-87495	7/8-14ORB	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
8FQFF-12FB	G94922-0812	7252-87215	7/8-14ORB	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
8CPFQFF-12FB*	G94922-0812P	7252-87505	7/8-14ORB	3,000	12,000	8QDFFDP	G94980-0008	7252-87305
10FQFF-12FB	G94922-1012	7252-87225	1-1/16-12ORB	3,000	12,000	10QDFFDP	G94980-00010	7252-87315
12FQFF-12FP	G94921-1212	7252-87175	3/4-14NPT	3,000	12,000	12QDFFDP	G94980-00012	7252-87325
12FQFF-12FB	G94922-1212	7252-87235	1-1/16-12ORB	3,000	12,000	12QDFFDP	G94980-00012	7252-87325
16FQFF-16FP	G94921-1616	7252-87185	1-11/16NPT	3,000	12,000	16QDFFDP	G94980-00016	7252-87335
16FQFF-16FB	G94922-1616	7252-87245	1-5/16-12ORB	3,000	12,000	16QDFFDP	G94980-00016	7252-87335

\* Connect-under-pressure coupler



EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. & VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH & MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE & CPLGS.

MEGATECH® C5 HOSE & CPLGS.

LOW PRESS. HOSE & CPLGS.

C14 HOSE & CPLGS.

POLARSEAL® HOSE & CPLGS.

PWR. STG. HOSE & CPLGS.

THERMO-PLASTIC HOSE & CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES & ASSORTMENTS

PART NUMBER INDEXES






# Quick Disconnect Couplers – G95 Series

## G949 Series (Flush Face, HTMA) - Continued




### Female Coupler – Flush Face to JIC 37° Flare Bulkhead and Dust Plug



Descr	#					Descr	Plug #	
8FQFF-10BKHD	G94923-0810	7252-87415	7/8-14	3,625	14,500	8QDFFDP	G94980-0008	7252-87305
10FQFF-12BKHD	G94923-1012	7252-87425	1-1/16-12	3,625	14,500	12QDFFDP	G94980-0012	7252-87325

### Female Coupler – Flush Face Valve to Female British Pipe Parallel and Dust Plug



Descr	#					Descr	Plug #	
4FQFF-4FBPP	G94925-0404	7252-87255	1/4-19	4,568	18,270	4QDFFDP	G94980-0004	7252-87295
8FQFF-8FBPP	G94925-0808	7252-87265	1/2-14	3,625	14,500	8QDFFDP	G94980-0008	7252-87305
12FQFF-12FBPP	G94925-1212	7252-87275	3/4-14	3,625	14,500	12QDFFDP	G94980-0012	7252-87325
16FQFF-16FBPP	G94925-1616	7252-87285	1-11	2,900	11,600	16QDFFDP	G94980-0016	7252-87335

FLEET

EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. & VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH & MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE & CPLGS.

MEGATECH® C5 HOSE & CPLGS.

LOW PRESS. HOSE & CPLGS.

C14 HOSE & CPLGS.

POLARSEAL® HOSE & CPLGS.

PWR. STG. HOSE & CPLGS.

THERMO-PLASTIC HOSE & CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES & ASSORTMENTS




PART NUMBER INDEXES



## G950 Series (Flush Face – High Pressure)

### Male Tip – Flush Face Valve to Female Pipe (FP) and Dust Cap






Descr	#					Descr	Cap #	
6MQFFH-4FP	G95011-0604	7252-88085	1/4-18NPT	10,000	20,000	6QDFFHDC	G95090-0006	7252-88135
6MQFFH-6FP	G95011-0606	7252-88095	3/8-18NPT	10,000	20,000	6QDFFHDC	G95090-0006	7252-88135
8MQFFH-8FP	G95011-0808	7252-88145	1/2-14NPT	5,000	10,000	8QDFFHDC	G95090-0008	7252-88235
12MQFFH-12FP	G95011-1212	7252-88155	3/4-14NPT	5,000	10,000	12QDFFHDC	G95090-0012	7252-88245
16MQFFH-16FP	G95011-1616	7252-88165	1-11/2NPT	5,000	10,000	16QDFFHDC	G95090-0016	7252-88255
16MQFFH-16FP*	G95011-1616A	7252-88325	1-11/2NPT	5,000	10,000	16QDFFHDC	G95090-0016	7252-88255

\*This coupling features a higher working pressure and flatter face for minimization of fluid loss.

Note: It is not interchangeable with the earlier design.

### Female Coupler – Flush Face Valve to Female Pipe (FP) and Dust Plug



Descr	#					Descr	Plug #	
6FQFFH-4FP	G95021-0604	7252-88105	1/4-18NPT	10,000	20,000	6QDFFHDP	G95080-0006	7252-88125
6FQFFH-6FP	G95021-0606	7252-88115	3/8-18NPT	10,000	20,000	6QDFFHDP	G95080-0006	7252-88125
8FQFFH-8FP	G95021-0808	7252-88175	1/2-14NPT	5,000	10,000	8QDFFHDP	G95080-0008	7252-88205
12FQFFH-12FP	G95021-1212	7252-88185	3/4-14NPT	5,000	10,000	12QDFFHDP	G95080-0012	7252-88215
16FQFFH-16FP	G95021-1616	7252-88195	1-11/2NPT	5,000	10,000	16QDFFHDP	G95080-0016	7252-88225
16FQFFH-16FP*	G95021-1616A	7252-88335	1-11/2NPT	5,000	10,000	16QDFFHDP	G95080-0016	7252-88225

\*This coupling features a higher working pressure and flatter face for minimization of fluid loss.

Note: It is not interchangeable with the earlier design.

EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. & VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH & MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE & CPLGS.

MEGATECH® CS HOSE & CPLGS.

LOW PRESS. HOSE & CPLGS.

C14 HOSE & CPLGS.

POLARSEAL® HOSE & CPLGS.

PWR. STG. HOSE & CPLGS.


THERMO-PLASTIC HOSE & CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES & ASSORTMENTS

PART NUMBER INDEXES






# Quick Disconnect Couplers – G95 Series

## G951 Series (Wing Nut)




### Male Tip (Brass) – Less Flange to Female Pipe (FP) and Dust Cap



Descr	#					Descr	Cap #	
12MQW-12FP	G95111-1212	7252-88525	3/4-14NPT	3,000	9,000	12QWDC	G95190-0012	7252-88705
16MQW-16FP	G95111-1616	7252-88535	1-11/2"NPT	3,000	9,000	16QWDC	G95190-0016	7252-88715
20MQW-20FP	G95111-2020	7252-88545	1-1/4-11 1/2"NPT	2,750	8,250	20QWDC	G95190-0020	7252-88725
24MQW-24FP	G95111-2424	7252-88555	1-1/2-11 1/2"NPT	2,500	7,500	24QWDC	G95190-0024	7252-88735

### Female Coupler (Brass) – Wing Nut (Cast Iron) to Female Pipe (FP) and Dust Plug



Descr	#					Descr	Plug #	
12FQW-12FP	G95121-1212	7252-88585	3/4-14NPT	3,000	9,000	12QWDP	G95180-0012	7252-88645
16FQW-16FP	G95121-1616	7252-88595	1-11/2"NPT	3,000	9,000	16QWDP	G95180-0016	7252-88655
20FQW-20FP	G95121-2020	7252-88605	1-1/4-11 1/2"NPT	2,750	8,250	20QWDP	G95180-0020	7252-88665
24FQW-24FP	G95121-2424	7252-88615	1-1/2-11 1/2"NPT	2,500	7,500	24QWDP	G95180-0024	7252-88675




FLEET

# Quick Disconnect Couplers – G95 Series

## G952 Series (High Pressure Wing Nut)




### Male Tip – Acme Flat Threads to Female Pipe (FP) and Dust Cap



Descr	#					Descr	Cap #	
12MQWH-12FP	G95211-1212	7252-88745	3/4-14NPT	5,000	20,000	12QWHDC	G95290-0012	7252-88895
16MQWH-16FP	G95211-1616	7252-88755	1-11/2NPT	5,000	20,000	16QWHDC	G95290-0016	7252-88905
20MQWH-20FP	G95211-2020	7252-88765	1-1/4-11 1/2NPT	5,000	15,000	20QWHDC	G95290-0020	7252-88915
24MQWH-24FP	G95211-2424	7252-88775	1-1/2-11 1/2NPT	5,000	15,000	24QWHDC	G95290-0024	7252-88925
32MQWH-32FP	G95211-3232	7252-88785	2-11 1/2NPT	5,000	15,000	32QWHDC	G95290-0032	7252-88935

### Female Coupler – Wing Nut to Female Pipe (FP) and Dust Plug



Descr	#					Descr	Plug #	
12FQWH-12FP*	G95221-1212	7252-88795	3/4-14NPT	5,000	20,000	12QWHDP	G95280-0012	7252-88845
16FQWH-16FP	G95221-1616	7252-88805	1-11/2NPT	5,000	20,000	16QWHDP	G95280-0016	7252-88855
20FQWH-20FP	G95221-2020	7252-88815	1 1/4-11 1/2NPT	5,000	15,000	20QWHDP	G95280-0020	7252-88865
24FQWH-24FP	G95221-2424	7252-88825	1 1/2-11 1/2NPT	5,000	15,000	24QWHDP	G95280-0024	7252-88875
32FQWH-32FP	G95221-3232	7252-88835	2-11 1/2NPT	5,000	15,000	32QWHDP	G95280-0032	7252-88885

\*Features a hex nut on the coupler.

EQUIPMENT
HOSE/CPLG. SELECTION
TECH. DATA
EXT. & VERY HIGH PRESS. HOSE
GS CPLGS.
PCM CPLGS.
PCS CPLGS.
HIGH & MED. PRESS. HOSE
MEGACRIMP® CPLGS.
PC CPLGS.
FIELD ATTACHABLE CPLGS.
AIR BRAKE HOSE & CPLGS.
MEGATECH®/CS HOSE & CPLGS.
LOW PRESS. HOSE & CPLGS.
C14 HOSE & CPLGS.
POLARSEAL® HOSE & CPLGS.
PWR. STG. HOSE & CPLGS.
THERMO-PLASTIC HOSE & CPLGS.
ADAPTERS
QUICK DISCONNECT CPLGS.
ACCESSORIES & ASSORTMENTS
PART NUMBER INDEXES






# Quick Disconnect Couplers – G95 Series

## G953 Series (Very High Pressure)

Recommended for MobileCrimp® crimper-to-pump connection.




### Male Tip – Poppet Valve to Female Pipe (FP)



Descr	#				
6MQFFVH-6FP	G95311-0606	7252-88315	3/8-18NPT	14,500	28,000

### Female Coupler – Screw to Connect to Female Pipe (FP)



Descr	#				
6FQFFVH-6FP	G95321-0606	7252-88305	3/8-18NPT	14,500	28,000

FLEET

- EQUIPMENT
- HOSE/CPLG. SELECTION
- TECH. DATA
- EXT. & VERY HIGH PRESS. HOSE
- GS CPLGS.
- PCM CPLGS.
- PCS CPLGS.
- HIGH & MED. PRESS. HOSE
- MEGACRIMP® CPLGS.
- PC CPLGS.
- FIELD ATTACHABLE CPLGS.
- AIR BRAKE HOSE & CPLGS.
- MEGATECH®/C5 HOSE & CPLGS.
- LOW PRESS. HOSE & CPLGS.
- C14 HOSE & CPLGS.
- POLARSEAL® HOSE & CPLGS.
- PWR. STG. HOSE & CPLGS.
- THERMO-PLASTIC HOSE & CPLGS.
- ADAPTERS
- QUICK DISCONNECT CPLGS.
- ACCESSORIES & ASSORTMENTS
- PART NUMBER INDEXES



## G956 Series (Industrial ISO 7241 – Series A)

### Male Tip – Poppet Valve to Female Pipe (FP) and Dust Cap



Descr	#					Descr	Cap #	
4MQP-4FP	G95611-0404	7252-89905	1/4-18NPT	4,600	18,400	4QDDC	G95690-0004	7252-89855
6MQP-6FP	G95611-0606	7252-89915	3/8-18NPT	4,600	18,400	6QDDC	G95690-0006	7252-89865
8MQP-8FP	G95611-0808	7252-89925	1/2-14NPT	4,000	16,000	8QDDC	G95690-0008	7252-89875
12MQP-12FP	G95611-1212	7252-89935	3/4-14NPT	4,000	16,000	12QDDC	G95690-0012	7252-89885
16MQP-16FP	G95611-1616	7252-89945	1-11-1/2NPT	3,000	12,000	16QDDC	G95690-0016	7252-89895

### Female Coupler – Poppet Valve to Female Pipe (FP) and Dust Plug



Descr	#					Descr	Plug #	
4FQP-4FP	G95621-0404	7252-89955	1/4-18NPT	4,600	18,400	4QDDP	G95680-0004	7252-89805
6FQP-6FP	G95621-0606	7252-89965	3/8-18NPT	4,600	18,400	6QDDP	G95680-0006	7252-89815
8FQP-8FP	G95621-0808	7252-89975	1/2-14NPT	4,000	16,000	8QDDP	G95680-0008	7252-89825
12FQP-12FP	G95621-1212	7252-89985	3/4-14NPT	4,000	16,000	12QDDP	G95680-0012	7252-89835
16FQP-16FP	G95621-1616	7252-89995	1-11-1/2NPT	3,000	12,000	16QDDP	G95680-0016	7252-89845

### G956 Series O-Ring and Backup Ring for Female Couplers



Descr	#			Descr	#	
4FQP-4FP	4QDOR	G95625-0004	7252-59955	4QDBR	G95626-0004	7252-49955
6FQP-6FP	6QDOR	G95625-0006	7252-59965	6QDBR	G95626-0006	7252-49965
8FQP-8FP	8QDOR	G95625-0008	7252-59975	8QDBR	G95626-0008	7252-49975
12FQP-12FP	12QDOR	G95625-0012	7252-59985	12QDBR	G95626-0012	7252-49985
16FQP-16FP	16QDOR	G95625-0016	7252-59995	16QDBR	G95626-0016	7252-49995

EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. &amp; VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH &amp; MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE &amp; CPLGS.

MEGATECH® C5 HOSE &amp; CPLGS.

LOW PRESS. HOSE &amp; CPLGS.

C14 HOSE &amp; CPLGS.

POLARSEAL® HOSE &amp; CPLGS.

PWR. STG. HOSE &amp; CPLGS.

THERMO-PLASTIC HOSE &amp; CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES &amp; ASSORTMENTS

PART NUMBER INDEXES



# Quick Disconnect Couplers – G95 Series

## G959 Series (Agricultural QD Adapters—Ball Valve Style)

### John Deere Old Style to ISO Style



Descr	#		
8MJD-8FISO	G95961-0808	7252-89615	3,000

### ISO Style to John Deere Old Style



Descr	#		
8MISO-8FJD	G95962-0808	7252-89625	3,000

### International Harvester to John Deere Old Style



Descr	#		
8MIHC-8FJD	G95963-0808	7252-89635	3,000

- EQUIPMENT
- HOSE/CPLG. SELECTION
- TECH. DATA
- EXT. & VERY HIGH PRESS. HOSE
- GS CPLGS.
- PCM CPLGS.
- PCS CPLGS.
- HIGH & MED. PRESS. HOSE
- MEGACRIMP® CPLGS.
- PC CPLGS.
- FIELD ATTACHABLE CPLGS.
- AIR BRAKE HOSE & CPLGS.
- MEGATECH® C5 HOSE & CPLGS.
- LOW PRESS. HOSE & CPLGS.
- C14 HOSE & CPLGS.
- POLARSEAL® HOSE & CPLGS.
- PWR. STG. HOSE & CPLGS.
- THERMO-PLASTIC HOSE & CPLGS.
- ADAPTERS
- QUICK DISCONNECT CPLGS.
- ACCESSORIES & ASSORTMENTS
- PART NUMBER INDEXES

FLEET



## G959 Series (Agricultural QD Adapters – Ball Valve Style) - Continued

### International Harvester Old Style to ISO Style



Descr	#		
8MIHC-8FISO	G95964-0808	7252-89645	3,000

### ISO Style to International Harvester Old Style



Descr	#		
8MISO-8FIHC	G95965-0808	7252-89655	3,000

### ISO Style to John Deere Old Style (Double Shutoff)



Descr	#		
8MISO-8FJDDSO	G95966-0808	7252-89665	3,000

### ISO Style to International Harvester Old Style (Double Shutoff)



Descr	#		
8MISO-8FIHCDSO	G95967-0808	7252-89675	3,000

EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. &amp; VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH &amp; MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE &amp; CPLGS.

MEGATECH® C5 HOSE &amp; CPLGS.

LOW PRESS. HOSE &amp; CPLGS.

C14 HOSE &amp; CPLGS.

POLARSEAL® HOSE &amp; CPLGS.

PWR. STG. HOSE &amp; CPLGS.

THERMO-PLASTIC HOSE &amp; CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES &amp; ASSORTMENTS

PART NUMBER INDEXES





# Quick Disconnect Couplers

## Interchange Cross-Reference Chart (Competitor to Gates)

EQUIPMENT
HOSE/CPLG. SELECTION
TECH. DATA
EXT. & VERY HIGH PRESS. HOSE
GS CPLGS.
PCM CPLGS.
PCS CPLGS.
HIGH & MED. PRESS. HOSE
MEGACRIMP® CPLGS.
PC CPLGS.
FIELD ATTACHABLE CPLGS.
AIR BRAKE HOSE & CPLGS.
MEGATECH® C5 HOSE & CPLGS.
LOW PRESS. HOSE & CPLGS.
C14 HOSE & CPLGS.
POLARSEAL® HOSE & CPLGS.
PWR. STG. HOSE & CPLGS.
THERMO-PLASTIC HOSE & CPLGS.
ADAPTERS
QUICK DISCONNECT CPLGS.
ACCESSORIES & ASSORTMENTS
PART NUMBER INDEXES

Aeroquip	GATES
5100-S2-12B	G95111-1212
5100-S2-16B	G95111-1616
5100-S2-20B	G95111-2020
5100-S2-24B	G95111-2424
5100-S5-12B	G95121-1212
5100-S5-16B	G95121-1616
5100-S5-20B	G95121-2020
5100-S5-24B	G95121-2424
5601-12-12S	G95621-1212
5601-16-16S	G95621-1616
5601-4-4S	G95621-0404
5601-6-6S	G95621-0606
5601-8-10S†	G95621-0808
5602-12-12S	G95611-1212
5602-16-16S	G95611-1616
5602-4-4S	G95611-0404
5602-6-6S	G95611-0606
5602-8-10S†	G95611-0808
FD45-1002-12-12	G94511-1212
FD45-1002-16-16	G94511-1616
FD45-1002-4-4	G94511-0404
FD45-1002-6-6	G94511-0606
FD45-1002-8-10†	G94511-0808
FD45-1003-12-12	G94521-1212
FD45-1003-16-16	G94521-1616
FD45-1003-4-4	G94521-0404
FD45-1003-6-6	G94521-0606
FD45-1003-8-10†	G94521-0808
FD49-1001-04-04	G94921-0404
FD49-1001-06-06	G94921-0606
FD49-1001-08-06	G94921-0608
FD49-1002-06-06	G94911-0606
FD49-1002-08-06	G94911-0608
FD49-1004-08-06	G94912-0608
FD49-1005-08-06	G94922-0608
FD89-1001-06-06	G94921-0606
FD89-1001-08-06	G94921-0608
FD89-1001-08-08	G94921-0808
FD89-1001-12-12	G94921-1212
FD89-1001-16-16	G94921-1616
FD89-1002-04-04	G94911-0404
FD89-1002-06-06	G94911-0606
FD89-1002-08-06	G94911-0608
FD89-1002-08-08	G94911-0808

†Gates -8 body size connects with this competitor's -10 sizes and offers better flow.

Dynaquip	GATES
DHP-12120	G94511-1212
DHP-16160	G94511-1616
DHP-440	G94511-0404
DHP-660	G94511-0606
DHP-880	G94511-0808
DHS-12120	G94521-1212
DHS-16160	G94521-1616
DHS-440	G94521-0404
DHS-660	G94521-0606
DHS-880	G94521-0808

Faster	GATES
2FF134 NPT F	G94921-1212
2FF134-34SAE F	G94921-1212
2FF158-34SAE F	G94922-1212
2FF11 NPT F	G94921-1616
2FF11-1SAE F	G94922-1616
2FF12 NPT F	G94921-0808
2FF12 NPT M	G94911-0808
2FF112-12SAE F	G94922-0808
2FF112-12SAE M	G94912-0808
2FF112-34SAE F	G94922-0812
2FF112-34SAE M	G94912-0812
2FF14 NPT F	G94921-0404
2FF14 NPT M	G94911-0404
2FFN312 NPT M	G94911-0608
2FFN38 NPT F	G94921-0606
2FFN38 NPT M	G94911-0606

Faster (cont.)	GATES
2FFN38-12 NPT F	G94921-0608
2FFN38-12SAE F	G94922-0608
2FFN38-12SAE M	G94912-0608
3FF11 NPT M	G94911-1616
3FF11-1SAE M	G94912-1616
3FF134 NPT M	G94911-1212
3FF134-34SAE M	G94912-1212
3FF158-34SAE M	G94912-1012
ANV-12F	G95621-0808
ANV-12M	G95611-0808
ANV-14F	G95621-0404
ANV-14M	G95611-0404
ANV-1F	G95621-1616
ANV-1M	G95611-1616
ANV-34F	G95621-1212
ANV-34M	G95611-1212
ANV-38F	G95621-0606
ANV-38M	G95611-0606
FB16-1F	G95121-1616
FB16-1M	G95111-1616
FB20-114F	G95121-2020
FB20-114M	G95111-2020
FF-38-F	G94921-0606
FF-38-M	G94911-0606
HNV-1-F	G94521-1616
HNV-1-M	G94511-1616
HNV-12-F	G94521-0808
HNV-12-M	G94511-0808
HNV-14-F	G94521-0404
HNV-14-M	G94511-0404
HNV-34-F	G94521-1212
HNV-34-M	G94511-1212
HNV-38-F	G94521-0606
HNV-38-M	G94511-0606

Foster	GATES
H2S	G94521-0404
H3S	G94521-0606
H4S	G94521-0808
H6S	G94521-1212
H8S	G94521-1616
K2S	G94511-0404
K3S	G94511-0606
K4S	G94511-0808
K6S	G94511-1212
K8S	G94511-1616

Hansen	GATES
2-H16	G94521-0404
2-K16	G94511-0404
3-H21	G94521-0606
3-K21	G94511-0606
4-H26	G94521-0808
4-K26	G94511-0808
6-FFP-38F	G94911-0606
6-FFS-38F	G94921-0606
6-H31	G94521-1212
6-K31	G94511-1212
8-H36	G94521-1616
8-K36	G94511-1616
QA 29221 00	G94921-0606
QA 29222 00	G94911-0606
QA 29231 00	G94921-0608
QA 29232 00	G94911-0608

Hoffman	GATES
2-HP	G94511-0404
2-HS	G94521-0404
3-HP	G94511-0606
3-HS	G94521-0606
4-HP	G94511-0808
4-HS	G94521-0808
6-HP	G94511-1212
6-HS	G94521-1212
8-HP	G94511-1616
8-HS	G94521-1616

Parker	GATES
6105-12	G95111-1212
6105-16	G95111-1616
6105-20	G95111-2020
6105-24	G95111-2424
6125-12	G95121-1212
6125-16	G95121-1616
6125-20	G95121-2020
6125-24	G95121-2424
6601-12-12	G95621-1212
6601-16-16	G95621-1616
6601-4-4	G95621-0404
6601-6-6	G95621-0606
6601-8-10†	G95621-0808
6602-12-12	G95611-1212
6602-16-16	G95611-1616
6602-4-4	G95611-0404
6602-6-6	G95611-0606
6602-8-10†	G95611-0808
FE-501-8FP-NL	G94921-0808
FE-501-12FO-NL	G94922-0812
FE-502-12FO	G94912-0812
FE-502-12FP	G94911-0808
FE-621-12FO-NL	G94922-1212
FE-622-12FO	G94912-1012
FF-371-6FP	G94921-0606
FF-371-8FB	G94922-0608
FF-371-8FO	G94922-0608
FF-371-8FP	G94921-0608
FF-372-6FP	G94911-0606
FF-372-8FB	G94912-0608
FF-372-8FO	G94912-0608
FF-372-8FP	G94911-0608
H2-62	G94521-0404
H2-63	G94511-0404
H3-62	G94521-0606
H3-63	G94511-0606
H4-62	G94521-0808
H4-63	G94511-0808
H6-62	G94521-1212
H6-63	G94511-1212
H8-62	G94521-1616
H8-63	G94511-1616

†Gates -8 body size connects with this competitor's -10 sizes and offers better flow.

Parker (Pioneer)	GATES
4010-2	G94011-0404
4010-2P	G94111-0404
4010-3	G94011-0606
4010-3	G94111-0606
4050-15	G94022-0808
4050-2	G94021-0404
4050-2P	G94121-0404
4050-3*	G94021-0606D
4050-4	G94021-0808
4050-4P	G94121-0808
4050-5*	G94021-0812D
4056-4MB	G94221-0808
4060-4MB	G95961-0808
4065-4L	G95966-0808
4065-4MB	G95962-0808
4067-4MB	G95963-0808
4070-4MB	G95964-0808
4075-4L	G95967-0808
4075-4MB	G95965-0808
4110-5	G94011-1212
4150-5	G94021-1212
4250-3P	G94121-0606
4250-4	G94021-0808D
5060-15MB	G94212-0808
5060-4MB	G94211-0808
5070-4MB	G94311-0808
5080-4MB	G94411-0808
5090-4	G94111-0808
5205-2	G94080-0004

\*Single acting sleeve only.





## Interchange Cross-Reference Chart (Competitor to Gates)

Parker (Pioneer) (cont.)	GATES
5205-3	G94080-0006
5205-4	G94080-0008
5209-2	G94090-0004
5209-3	G94090-0006
5209-4	G94090-0008
8010-15	G94012-0808
8010-4	G94011-0808
8010-5	G94011-0812

Perfecting	GATES
2HF2	G94521-0404
3HF3	G94521-0606
3HTF3	G94921-0606
3HTF4	G94921-0608
4HF4	G94521-0808
6HF6	G94521-1212
8HF8	G94521-1616
H2F2	G94511-0404
H3F3	G94511-0606
H4F4	G94511-0808
H6F6	G94511-1212
H8F8	G94511-1616
HT3F3	G94911-0606
HT3F4	G94911-0608

Safeway	GATES
FF491-3	G94911-0606
FF491-3-8	G94912-0608
FF491-4	G94911-0608
FF495-3	G94921-0606
FF495-3-8	G94922-0608
FF495-4	G94921-0608
S101-2	G94511-0404
S101-3	G94511-0606
S101-4	G94511-0808
S101-6	G94511-1212
S101-8	G94511-1616
S105-2	G94521-0404
S105-3	G94521-0606
S105-4	G94521-0808
S105-6	G94521-1212
S105-8	G94521-1616
S11-15	G94212-0808
S11-4	G94211-0808
S12-4	G94311-0808
S13-4	G94411-0808
S21F-6	G94011-1212
S25-15	G94022-0808
S25-4	G94021-0808
S25-4-1	G95961-0808
S25-4-2	G95964-0808
S25-4-20	G94221-0808
S25-4-3	G95962-0808
S25-4-3D	G95966-0808
S25-4-4	G95963-0808
S25-4-7	G95965-0808
S25-4-7D	G95967-0808
S25-4P	G94121-0808
S25A-2	G94021-0404
S25A-2P	G94121-0404
S25F-6	G94021-1212
S41-2	G94011-0404
S41-2P	G94111-0404
S41-3	G94011-0606
S41-3P	G94111-0606
S44-2	G94080-0004
S44-3	G94080-0006
S44-4	G94080-0008
S45-3	G94021-0606D
S45-3P	G94121-0606
S45-4	G94021-0808D
S45-6	G94021-0812D
S49-2	G94090-0004
S49-3	G94090-0006
S49-4	G94090-0008
S561-2	G95611-0404

Safeway (cont.)	GATES
S561-3	G95611-0606
S561-4	G95611-0808
S561-6	G95611-1212
S561-8	G95611-1616
S565-2	G95621-0404
S565-3	G95621-0606
S565-4	G95621-0808
S565-6	G95621-1212
S565-8	G95621-1616
S71-15	G94012-0808
S71-4	G94011-0808
S71-4P	G94111-0808
S71-6	G94011-0812

Snap-Tite	GATES
60N4-4F	G94111-0404
60N6-6F	G94111-0606
60PDCP-4	G94090-0004
60PDCP-6	G94090-0006
60PDCP-4	G94080-0004
60PDCP-6	G94080-0006
61C12-12F	G95621-1212
61C16-16F	G95621-1616
61C4-4F	G95621-0404
61C6-6F	G95621-0606
61C8-8F	G95621-0808
61PDCP-12	G95690-0012
61PDCP-16	G95690-0016
61PDCP-4	G95690-0004
61N12-12F	G95611-1212
61N16-16F	G95611-1616
61N4-4F	G95611-0404
61N6-6F	G95611-0606
61N8-8F	G95611-0808
61PDCP-12	G95680-0012
61PDCP-16	G95680-0016
61PDCP-4	G95680-0004
61PDCP-6	G95680-0006
63N8-8F	G94111-0808
71-1C6-4F	G95021-0604
71-1C6-6F	G95021-0606
71-1C8-8F	G95021-0808
71-1N6-4F	G95011-0604
71-1N6-6F	G95011-0606
71-1N8-8F	G95011-0808
71-2C12-12F	G95021-1212
71-2C16-16F	G95021-1616
71-2N12-12F	G95011-1616
71-2N16-16F	G95011-1616
71PDC-12	G95080-0012
71PDC-16	G95080-0016
71PDC-6	G95080-0006
71PDC-8	G95080-0008
71PDC-12	G95090-0012
71PDC-16	G95090-0016
71PDC-6	G95090-0006
71PDC-8	G95090-0008
72C12-12F	G94521-1212
72C16-16F	G94521-1616
72C4-4F	G94521-0404
72C6-6F	G94521-0606
72C8-8F	G94521-0808
72N12-12F	G94511-1212
72N16-16F	G94511-1616
72N4-4F	G94511-0404
72N6-6F	G94511-0606
72N8-8F	G94511-0808
72PDCP-12	G94590-0012
72PDCP-16	G94590-0016
72PDCP-4	G94590-0004
72PDCP-6	G94590-0006

Snap-Tite (cont.)	GATES
72PDCP-8	G94590-0008
72PDCP-12	G94580-0012
72PDCP-16	G94580-0016
72PDCP-4	G94580-0004
72PDCP-6	G94580-0006
72PDCP-8	G94580-0008
74C4-4EF	G94922-0404
74C4-4F	G94921-0404
74C4-4RP	G94925-0404
74C6-6F	G94921-0606
74C6-8EF	G94922-0608
74C6-8F	G94921-0608
74C8-8EF	G94922-0808
74C8-8F	G94921-0808
74C8-8RP	G94925-0808
74C8-10EB	G94923-0810
74C8-12EF	G94922-0812
74C10-12EB	G94923-1012
74C10-12EF	G94922-1012
74C12-12EF	G94922-1212
74C12-12F	G94921-1212
74C12-12RP	G94925-1212
74C16-16EF	G94922-1616
74C16-16F	G94921-1616
74C16-16RP	G94925-1616
74N4-4EF	G94912-0404
74N4-4F	G94911-0404
74N4-4RP	G94915-0404
74N6-6F	G94911-0606
74N6-6F	G94911-0606
74N6-8EF	G94912-0608
74N6-8F	G94911-0608
74N8-10EB	G94913-0810
74N8-8EF	G94912-0808
74N8-8F	G94911-0808
74N8-12EF	G94912-0812
74N8-8RP	G94915-0808
74N10-12EB	G94913-1012
74N10-12EF	G94912-1012
74N12-12EF	G94912-1212
74N12-12F	G94911-1212
74N12-12RP	G94915-1212
74N16-16EF	G94912-1616
74N16-16F	G94911-1616
74N16-16RP	G94915-1616
74PDC-6	G94980-0006
74PDC-6	G94990-0006
75C12-12F	G95221-1212
75C16-16F	G95221-1616
75C20-20F	G95221-2020
75C24-24F	G95221-2424
75C32-32F	G95221-3232
75MDC-12	G95290-0012
75MDC-16	G95290-0016
75MDC-20	G95290-0020
75MDC-24	G95290-0024
75MDC-32	G95290-0032
75MDP-12	G95280-0012
75MDP-16	G95280-0016
75MDP-20	G95280-0020
75MDP-24	G95280-0024
75MDP-32	G95280-0032
75N12-12F	G95211-1212
75N16-16F	G95211-1616
75N20-20F	G95211-2020
75N24-24F	G95211-2424
75N32-32F	G95211-3232
78DC-12	G95190-0012
78DC-16	G95190-0016
78DC-20	G95190-0020
78DC-24	G95190-0024

EQUIPMENT

HOSE/CPLG. SELECTION

TECH. DATA

EXT. & VERY HIGH PRESS. HOSE

GS CPLGS.

PCM CPLGS.

PCS CPLGS.

HIGH & MED. PRESS. HOSE

MEGACRIMP® CPLGS.

PC CPLGS.

FIELD ATTACHABLE CPLGS.

AIR BRAKE HOSE & CPLGS.

MEGATECH® C5 HOSE & CPLGS.

LOW PRESS. HOSE & CPLGS.

C14 HOSE & CPLGS.

POLARSEAL® HOSE & CPLGS.

PWR. STG. HOSE & CPLGS.

THERMO-PLASTIC HOSE & CPLGS.

ADAPTERS

QUICK DISCONNECT CPLGS.

ACCESSORIES & ASSORTMENTS

PART NUMBER INDEXES

